WEST Search History for Application 10799363

Query	DB	Op.	Plur.	Thes.	Date
access\$3 with message near content same (abstract\$3 or transparen\$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-08-2008
access\$3 with (payload or message) same (abstract\$3 or transparen\$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-08-2008
messaging and (access\$3 with (payload or message) same (abstract\$3 or transparen\$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-08-2008
namespace and (messaging and access\$3 with (payload or message) same (abstract\$3 or transparen\$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-08-2008
access\$3 near (payload or message) same (abstract\$3 or transparen\$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-08-2008
@pd<20040312 and (access\$3 near (payload or message) same (abstract\$3 or transparen\$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB,	OR			09-08-2008

	DWPI, TDBD		
20050091635	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
reus\$3 with (api or application near interfaces)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xpath and (reus\$3 with (api or application near interfaces))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
reus\$3 near (api or application near interfaces)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and (reus\$3 near (api or application near interfaces))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(creat\$3 or defin\$5) near (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and ((creat\$3 or defin\$5) near (context adj object or message near context))	PGPB, USPT,	OR	09-08-2008

	USOC, EPAB, JPAB, DWPI, TDBD		
business and ((creat\$3 or defin\$5) near (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(context adj object or message near context) with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(name or namespace) with (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and ((name or namespace) with (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(name\$1space) with (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(name\$1space) same (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR	09-08-2008

	TDBD		
(rout\$3 near configur\$6) same (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
(rout\$3 or dispatch\$3) with (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
(xml or name\$1space) and ((rout\$3 or dispatch\$3) with (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
message near name\$1space	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
message near (rout\$3 or dispatch\$3) same name\$1space	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
message near (rout\$3 or dispatch\$3) same context	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-20
xml and (message near (rout\$3 or dispatch\$3) same context)	PGPB, USPT, USOC,	OR	09-08-20

	EPAB, JPAB, DWPI, TDBD		
@pd<20040312 and (xml and message near (rout\$3 or dispatch\$3) same context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(message near context or context adj object) same (payload or (message near (data or content)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and ((message near context or context adj object) same (payload or (message near (data or content))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(message near context or context adj object) same (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and ((message near context or context adj object) same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008

(message near context or context adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
((message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))) and ((message near context or context adj object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
(message near context or context adj object) same (api or application near interface or interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
@pd<20040312 and ((message near context or context adjobject) same (api or application near interface or interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
xml and (@pd<20040312 and (message near context or context adj object) same (api or application near interface or interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
abstract\$3 with message near (data or content or repository or stor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-	2008
@pd<20040312 and (abstract\$3 with message near (data or content or repository or stor\$3))	PGPB, USPT, USOC, EPAB,	OR	09-08-	2008

	JPAB, DWPI, TDBD			
re\$1us\$1 with (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
context near object same messag\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
(re\$1us\$1 with (api or application near interface)) and (context near object same messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
messag\$3 and (re $1u$1$ with (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
@pd<20040312 and (messag\$3 and re\$1us\$1 with (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
(application near interface or api or dll) same(access\$3 near (message or pay\$11oad))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
		OR		09-08-2008

@pd<20040312 and ((application near interface or api or dll) same(access\$3 near (message or pay\$1load)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD		
context near object same re\$1us\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context abj object with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
run\$1time with messag\$3 and (context abj object with repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context with (abstract\$3 or re\$1us\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(run\$1time with messag\$3 and context abj object with repository) and (context with (abstract\$3 or re\$1us\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context abj object near repository	PGPB, USPT, USOC, EPAB,	OR	09-08-2008

			_
	JPAB, DWPI, TDBD		
@pd<20040312 and (context abj object near repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context with receiv\$3 near application	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context abj object and (context with receiv\$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(context abj object) and (context with receiv\$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(context adj object) and (context with receiv\$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
context near object same (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
abstract\$3 with message		OR	09-08-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
context near object with (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
context near object same (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
(abstract\$3 with message) and (context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
messag\$3 and (context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
@pd<20040314 and (messag\$3 and context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
context near object with messag\$3	PGPB, USPT, USOC, EPAB,	OR		09-08-2008

			_
	JPAB, DWPI, TDBD		
@pd<20040314 and (context near object with messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
677184.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
6779184.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
business near message with (context or container or envelope)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
business near message with (api or application near interface or abstract\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((encapsulat\$3 or wrap\$4) near messag\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
run\$1time adj engine		OR	09-08-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
(((encapsulat\$3 or wrap\$4) near messag\$4)) and (run\$1time adj engine)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
run\$1time adj engine with (messag\$3 or business near process)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
@pd<20040312 and (run\$1time adj engine with (messag\$3 or business near process))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
run\$1time with (messag\$3 or business near process) near java near application	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
run\$1time with (messag\$3 or business near process) near (java or application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
@pd<20040312 and (run\$1time with (messag\$3 or business near process) near (java or application))	PGPB, USPT, USOC, EPAB,	OR		09-08-2008

	JPAB, DWPI, TDBD		
((web or application) near server) with run\$1time and messag\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(abstract\$3 or transparen\$2 or wrap\$4) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(((web or application) near server) with run\$1time and messag\$3) and ((abstract\$3 or transparen\$2 or wrap\$4) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
BEUNINGS-FRANK!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR	09-08-2008
BEUNINGS-FRANK!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR	09-08-2008
HILLENBRAND-THEA!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR	09-08-2008
HILLENBRAND-THEA!		OR	09-08-2008

	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB			
SCHLARB-UWE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR	0	99-08-2008
SCHLARB-UWE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		99-08-2008
(705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	0	9-08-2008
(705/26 705/27).ccis.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	0	09-08-2008
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cels.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	0	09-08-2008
(715/513 1715/733 1715/734 1715/737 1715/738 1715/740 1715/749 1715/760),cels.	PGPB, USPT, USOC, EPAB,	OR	0	9-08-2008

	JPAB, DWPI, TDBD			
(719/313 1719/314 1719/315).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
((705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).ccls.) or ((705/26 1705/27).ccls.) or ((709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/205 1709/207	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
(transparen\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
re\$lus\$3 with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
@pd<20040312 and ((transparen\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
namespace and (@pd<20040312 and (transparen\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		09-08-2008
		OR		09-08-2008

(name and namespace) with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD		
(transparen\$2 or abstract\$3 or interface near application or api) with (access near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
namespace and ((transparen\$2 or abstract\$3 or interface near application or api) with (access near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(message near (content or context or object)) with (datastore or database or storage or repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((transparen\$2 or abstract\$3 or interface near application or api) with (access near message) and ((message near (content or context or object)) with (datastore or database or storage or repository))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(transparen\$2 or abstract\$3 or interface near application or api) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((message near (content or context or object)) with (datastore or database or storage or repository)) and ((transparen\$2 or abstract\$3 or interface near application or api) near message)	PGPB, USPT, USOC, EPAB,	OR	09-08-2008

	JPAB, DWPI, TDBD		
@pd<20040312 and ((message near (content or context or object)) with (datastore or database or storage or repository) and (transparen\$2 or abstract\$3 or interface near application or api) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
defin\$5 with ((context or object) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
namespace and (defin\$5 with ((context or object) near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/1 1705/10 1705/11),ccls. or (705/26 1705/27),ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/205 1709/205 1709/205 1709/207 1709/207 1709/207 1709/207 1709/207 1709/207 1709/207 1709/207 1709/207 1709/207 1715/734 1715	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml near namespace and ((705/1 705/2 705/3 705/4 705/5 705/6 705/7 705/8 705/9 705/10 705/10 705/11 1,ccls, or (705/26 705/27),ccls, or (705/26 705/27),ccls, or (709/201 709/202 709/203 709/206 709/207 709/201 709/20	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml near namespace with messag\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008

xml near tag with ((defin\$5 or receiver or recepient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
xml near tag with (defin\$5 near ((receiver or recepient) near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
xml near tag with ((receiver or recepient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
xml near tag with ((receiver or recipient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
xml near tag with (abstract\$3 or api or application near interface or defin\$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
namespace and (xml near tag with (abstract\$3 or api or application near interface or defin\$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09	-08-2008
@pd<20040312 and (namespace and xml near tag with (abstract\$3 or api or application near interface or defin\$5))	PGPB, USPT, USOC, EPAB,	OR	09	-08-2008

	JPAB, DWPI, TDBD		
((rout\$3 or pass\$3 or exchang\$3) near messag\$3) with rules	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11),ccls. or (705/26 1705/27),ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/218 1709/219),ccls. or (715/513 1715/733 1715/734 1715/737 1715/738 1715/740 1715/749 1715/760),ccls. or (719/313 1719/314 1719/315),ccls.) and (((rout\$3 or pass\$3 or exchang\$3) near messag\$3) with rules)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and ((705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).ccls. or (705/26 1705/26).cls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls. or (715/513 1715/733 1715/734 1715/736 1715/740 1715/749 1715/760).ccls. or (719/313 1719/313).cls. and ((100183 or pass\$3 or exchang\$3) near messag\$3) with rules)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(abstract\$3 or api or application near interface) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
(xml and (705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11),ccls. or (705/26 1705/27),ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/211 7109/218 1709/209,ccls. or (715/513 1715/733 1715/734 1715/737 1715/738 1715/740 1715/749 1715/760),ccls. or (719/313 1719/314 1719/315),ccls. and ((rout\$\$3\$ or pass\$\$3\$ or exchang\$\$3\$) near messag\$\$3\$ with rules) and ((dabstract\$\$3\$ or api or application near interface) near message\$\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
business near messag\$3	PGPB, USPT, USOC, EPAB,	OR	09-08-2008

	JPAB, DWPI, TDBD		
((705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).cels. or (705/26 1705/27).cels. or (705/26 1705/27).cels. or (709/201 1709/203 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).cels. or (715/513 1715/733 1715/734 1715/737 1715/738 1715/740 1715/749 1715/760; or (719/313 1719/314 1719/315).cels.) and (business near messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((rout\$3 or pass\$3 or exchang\$3) near messag\$3) and ((705/1 705/2 705/3 705/4 705/5 705/6 705/7 705/7 705/8 705/10 705/10 705/10 705/10 705/10 705/20 705	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
xml and (((rout\$3 or pass\$3 or exchang\$3) near messag\$3) and (705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).cels. or (705/26 1705/27).cels. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).cels. or (715/513 1715/733 1715/734 1715/737 1715/738 1715/740 1715/749 1715/760).cels. or (719/313 1719/314 1719/315).cels. and business near messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
((abstract\$3 or api or application near interface) near message) and (xml and ((rout\$3 or pass\$3 or exchang\$3) near messag\$3) and (705/1 1705/2 1705/3 1705/4 1705/5 1705/6 1705/7 1705/8 1705/9 1705/10 1705/11).ccls. or (705/26 1705/27).ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls. or (715/513 1715/733 1715/734 1715/737 1715/736 1715/740 1715/749 1715/740).ccls. or (719/313 1719/314 1719/315).ccls. and business near messag\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
2002102438	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
2004102438	PGPB, USPT, USOC, EPAB,	OR	09-08-2008

	JPAB, DWPI, TDBD		
WO-2004102438-A2,did.	EPAB	OR	09-08-2008
US-20050193061-A1.did.	PGPB	OR	09-08-2008
1513302	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
03036881	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
03036887	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	09-08-2008
3036887	EPAB	OR	09-08-2008